



PPJET are recommended for creating small structures such as garden fences. Very easy to disassembled, they are particularly suitable for temporary structures. PPJET must be sunk.

FEATURES





Material

- Steel DD11 according to NF EN 10111.
- Hot-dip galvanized finish according to NF EN ISO 1461.

Advantages

- Precut plate corners for improved safety.



APPLICATIONS

Suitable On



- **Supporting member:** solid wood, glued-laminated wood, composite lumber, etc.
- **Supported member:** solid wood, glued-laminated wood, composite lumber, etc.

When to Use

- Fastening of fences.
- Fastening of light structures for gardens.
- Fastening of temporary structures

TECHNICAL DATA

Product Dimensions




References	Tun / DB nr.	NOB nr.	Dimensions and drill holes [mm]						Holes
			A	C	B	D	t ₁	t ₂	Ø11
PPJET70/750	-	-	70	150	70	600	2	2	4
PPJET90/750	-	-	90	150	90	600	2	2	4
PPJET50/50/750	1393551	23382914	50	150	50	600	2	2	4
PPJET75/75/750G	1393571	23382930	75	150	75	600	2	2	4
PPJET100/100/750	1393572	23382948	100	150	100	600	2	2	4
PPJET70/70/750G	1393574	28994150	70	150	70	600	2	2	4
PPJET90/90/900	-	-	90	150	90	750	2	2	4
PPJET90/90/750G	1393579	28994168	90	150	90	600	2	2	4
PPJET50/100/750	1393568	23382914	50	150	100	600	2	2	4

INSTALLATION


Fixing

Post:

- Bolts.
- Lag screws dia. 10 mm.



Fastgørelse af
hegn



Fastgørelse af
hegn